



2010 **Product Catalogue**

TRIPODS, MONOPODS
AND ACCESSORIES



BENRO

PROFESSIONAL STANDARDS : EXCEPTIONAL VALUE



Looking for a new tripod? With many brands and hundreds of models, from cheap and flimsy to outrageously overpriced – you are probably finding yourself faced by a bewildering assortment of options.

Fortunately, here at BENRO, we have invested in the latest tooling and precision machinery. We have a team of highly trained designers and engineers – and with over a decade's experience in tripod manufacture, we are able to offer you tripods, monopods and heads built to professional standards with prices that offer exceptional value. On top of all this, we'll give you a free high quality and very durable carry case and strap with all tripods in the BENRO range.

Whether you earn your living from photography or are a keen enthusiast you will find a perfect match for your requirements within our products range .





8-LAYER CARBON FIBRE

BENRO carbon fibre tripods are manufactured using the proprietary QIHM-8X technology high density 8-layer carbon fibre tubing. This 8-layer tubing is 60% stronger overall than conventional carbon fibre tripods.

HIGH-GRADE ALUMINIUM

BENRO aluminium tripods combine a high maximum load capacity and outstanding torsional rigidity whilst being surprisingly light weight.

PROFESSIONAL STANDARDS : EXCEPTIONAL VALUE

Travel Angel Series

Finally, a tripod that travels

Weight, capacity, folded length and maximum tripod height are the primary considerations for photographers who travel.

When you're travelling light, it's often the cumbersome old tripod that gets sacrificed back at base, in the name of portability and comfort. With legs that can invert 180° for up to **20% reduction** in folded size, and significantly reduced carry weight, the BENRO Travel Angel series will be with you when you need it.



Compact. Legs can be inverted and folded back 180° making it up to 20% smaller than a conventionally designed full size tripod.



Reversible Centre Column. Allows for additional shooting flexibility and angles. The grooved column design eliminates unwanted column rotation.



Adjustable Leg Angle Stops. Legs can be independently locked into place at different angles for shooting in cramped quarters, on irregular surface areas, or at ground level.



Magnesium Die-Cast parts. The die-casting parts are made of 100% magnesium which offer high strength and allow for heavier weight loads.



Water & Dust Resistance. Innovative rubberised locking grips combined with anti-rotation legs and weather & dust resistance enable fast and fumble-free set-up.



Stainless steel spiked feet. As shooting locations and conditions change, BENRO offer screw-in rubber feet or stainless steel spiked feet.

8-LAYER CARBON FIBRE									
Model No.	Sections	Max Leg Dia (mm)	Min Leg Dia (mm)	Max Height (mm)	Norm Height (mm)	Min Height (mm)	Folded (mm)	Weight (kg)	Load (kg)
C-068M8	4	22	13	1340	1075	355	355	0.78	6
C-168M8	4	25	16	1410	1125	375	375	0.98	8
C-268M8	4	28	19	1510	1210	410	410	1.26	12

HIGH-GRADE ALUMINIUM									
Model No.	Sections	Max Leg Dia (mm)	Min Leg Dia (mm)	Max Height (mm)	Norm Height (mm)	Min Height (mm)	Folded (mm)	Weight (kg)	Load (kg)
A-068M8 + BH-00M	4	22	13	1346	1139	376	387	1.08	2.5
A-168M8 + BH-0M	4	25	16	1442	1207	404	404	1.47	4
A-268M8 + BH-1M	4	28	19	1529	1295	430	441	1.77	6

*finally, a tripod
that travels*



up to **20%**
smaller
when folded
than conventionally
designed full-size tripods

QuickLock Series


Fast, Tough and Reliable

This fast and reliable product is ideal for demanding professionals and enthusiasts alike.

This high quality precision model is ideal for use in many styles of photography due to its versatile and robust design. Partner the legs with either the BENRO Ball or 3-Way heads and you will have a product that stands the test of time.



Head Mounting Set Screws.
Setscrews provide an extra level of security when attaching the head to the tripod's top-plate



Reversible Centre Column.
Allows for additional shooting flexibility and angles. The grooved column design eliminates unwanted column rotation.



Adjustable Leg Angle Stops.
Legs can be independently locked into place at different angles for shooting in cramped quarters, on irregular surface areas, or at ground level.



Spirit Level & Compass.
Ensures the tripod is level and built-in compass provides useful coordinates for recording the exact location.



Closed Cell Foam Grip.
A thick layer of closed cell Nitrile Butadiene Rubber (NBR) provides a comfortable yet firm grip.



Centre Column Hook.
Allows you to hang additional weight from the tripod's centre of gravity for increased stability

8-LAYER CARBON FIBRE

Model No.

	Sections	Max Leg Dia (mm)	Min Leg Dia (mm)	Max Height (mm)	Norm Height (mm)	Min Height (mm)	Folded (mm)	Weight (kg)	Load (kg)
C-157EX	3	25	19	1480	1260	325	570	1.15	8
C-257EX	3	28	22	1630	1410	325	630	1.41	12

HIGH-GRADE ALUMINIUM

Model No.

	Sections	Max Leg Dia (mm)	Min Leg Dia (mm)	Max Height (mm)	Norm Height (mm)	Min Height (mm)	Folded (mm)	Weight (kg)	Load (kg)
A-157EX	3	24	16	1470	1250	325	565	1.57	6
A-257EX	3	28	20	1660	1440	325	638	1.99	10

FlexPod Series

Ultimate Flexibility

All the benefits of the Quick Lock series plus a quick switch centre column that's easily moved from vertical to horizontal position as well as anywhere in between.

The most flexible tripod in the BENRO range can be used as an all round tripod, but really comes into its own when you need to get closer to the subject or shoot at awkward angles.



Head Mounting Set Screws.
Setscrews provide an extra level of security when attaching the head to the tripod's top-plate



Column Locking Setknobs.
The angle and position of the adjustable centre column can be locked into place with a single twist of the centre column setknob.



Adjustable Leg Angle Stops.
Legs can be independently locked into place at different angles for shooting in cramped quarters, on irregular surface areas, or at ground level.



Spirit Level. Ensures the tripod is level whilst adjusting individual leg heights when shooting on uneven surfaces.



Closed Cell Foam Grip.
A thick layer of closed cell Nitrile Butadiene Rubber (NBR) provides a comfortable yet firm grip.



Centre Column Hook.
Allows you to hang additional weight from the tripod's centre of gravity for increased stability

8-LAYER CARBON FIBRE

Model No.

	Sections	Max Leg Dia (mm)	Min Leg Dia (mm)	Max Height (mm)	Norm Height (mm)	Min Height (mm)	Folded (mm)	Weight (kg)	Load (kg)
C-197EX	3	25	19	1605	1295	390	593	1.38	8
C-297EX	3	28	22	1797	1420	390	645	1.64	12

HIGH-GRADE ALUMINIUM

Model No.

	Sections	Max Leg Dia (mm)	Min Leg Dia (mm)	Max Height (mm)	Norm Height (mm)	Min Height (mm)	Folded (mm)	Weight (kg)	Load (kg)
A-197EX	3	24	16	1647	1280	390	590	1.86	6
A-297EX	3	28	20	1847	1470	390	665	2.30	10

Tripod Kits

Fantastic Value

The Mg-Aluminium EX series Quick lock tripods with BH heads offer a strong, reliable and great value combination.

These fantastic value tripod and head combinations are the perfect solutions for the cost conscious beginner, as well as those with years of experience under their belt.



Ball head included.

A great companion to the legs that includes a one-touch adjustment knob for quick and accurate camera positioning.



Wingnut centre column knob.

Ensures smooth and fast operation when adjusting the height of the centre column.



Reversible Centre Column.

Allows for additional shooting flexibility and angles. The grooved column design eliminates unwanted column rotation.



Adjustable Leg Angle Stops.

Legs can be independently locked into place at different angles for shooting in cramped quarters, on irregular surface areas, or at ground level.



Leg section locking system.

Completely new system which prevents each leg from rotating even when unlocked. Fast and easy setup is assured.



Spirit Level & Compass.

Ensures the tripod is level and built-in compass provides useful coordinates for recording the exact location.

HIGH-GRADE ALUMINIUM

Model No.

	Sections	Max Leg Dia (mm)	Min Leg Dia (mm)	Max Height (mm)	Norm Height (mm)	Min Height (mm)	Folded (mm)	Weight (kg)	Load (kg)
A-300EX + BH-0M	3	23	17	1395	1236	396	525	1.13	4
A-500EX + BH-1M	3	26	20	1470	1321	417	575	1.45	6

*All dimensions shown above are for legs only. Please refer to extra head dimensions for overall sizes

MonoPods

Quick Lock Series

BENRO Quick Lock Series Monopods offer the ultimate in rapid setup, strength, light weight, fast action and reliable performance combined with the quality and strength demanded by Professional Photographers.

All of BENRO'S monopods include matching foam grip, and a head plate with 1/4 or 3/8 camera screws.



Leg section locking system.
Completely new system which prevents each leg from rotating even when unlocked. Fast and easy setup is assured.



Closed Cell Foam Grip.
A thick layer of closed cell Nitrile Butadiene Rubber (NBR) provides a comfortable yet firm grip.



8-LAYER CARBON FIBRE							
Model No.	Sections	Max Leg Dia (mm)	Min Leg Dia (mm)	Max Height (mm)	Folded (mm)	Weight (kg)	Load (kg)
MC-91EX	4	32	22	1495	481	0.46	18

HIGH-GRADE ALUMINIUM							
Model No.	Sections	Max Leg Dia (mm)	Min Leg Dia (mm)	Max Height (mm)	Folded (mm)	Weight (kg)	Load (kg)
MA-91EX	4	32	20	1495	484	0.58	18

Kiv EX Series

Kiv series aluminium monopods are the perfect travel companion for the enthusiast photographer who needs extra stability quickly and easily when on the move. A monopod is especially useful for wildlife photography or when using a long telephoto lens when instant and convenient support is required.

Kiv monopods are supplied complete with ballheads and feature quick leg lock mechanisms, foam grip and rubber feet for extra stability.

HIGH-GRADE ALUMINIUM							
Model No.	Sections	Max Leg Dia (mm)	Min Leg Dia (mm)	Max Height (mm)	Normal (mm)	Weight (kg)	Load (kg)
MP-25EX	4	26	17	1526	542	0.47	2.5
MP-35EX	4	29	20	1571	571	0.60	4.5



DJ80M MonoPod Head

The BENRO J-80 monopod tilt head provides a perfect camera platform for any BENRO Monopod. A built-in quick release system offers rapid mounting and dismounting of any camera or lens while a single locking knob provides front-rear axis tilt control. Plus, an integral high visibility bubble level makes camera leveling quick and easy.



HIGH-GRADE ALUMINIUM				
Model No.	Ball Dia (mm)	Height (mm)	Weight (kg)	Load (kg)
DJ80M	31.5	63	0.26	2.5

Tripod Heads

BH Series Ball Heads

BENRO BH-Series ball heads are produced using the latest in precision machining and manufacturing technology to ensure smooth and secure operation whilst being ultra small and lightweight without compromising stability.

A patented, dual locking, dovetailed quick release plate enables fast and secure camera mounting and dismounting without having to worry about accidentally unseating the camera.



HIGH-GRADE ALUMINIUM

Model No.	Ball Dia (mm)	Base (mm)	Height (mm)	Weight (kg)	Load (kg)
BH0-M	30	62	85	0.23	4
BH1-M	36	78	92	0.31	6
BH2-M	44	84	97	0.40	8

B Series Ball Heads

BENRO B-Series ball heads offer manual drag control, dovetail quick release mounting plates, smooth - independent panning control, and positive locking knobs.



HIGH-GRADE ALUMINIUM

Model No.	Ball Dia (mm)	Base (mm)	Height (mm)	Weight (kg)	Load (kg)
B0+PU50	30	50	85	0.29	8
B1+PU50	36	56	90	0.36	12

HD Series 3-Way Heads

The BENRO HD-Series 3-Way Pan Heads feature smooth front and horizontal tilt and panning movements along with secure locking handles and knobs. They incorporate a snap-in quick release camera plate locking system, graduated scales and bubble level.



HIGH-GRADE ALUMINIUM

Model No.	Height (mm)	Weight (kg)	Load (kg)
HD28-M	102.5	0.84	8
HD38-M	132	0.96	12

Quick Release Plates

PH-07

Extra Snap-In Quick Release Plate with 1/4-20 thread for Model BH-00-M Ball Heads

PH-08

Extra Snap-In Quick Release Plate with 1/4-20 thread for Model BH-0-M Ball Heads and DJ-80 Tilt Heads

PH-09

Extra Snap-In Quick Release Plate with 1/4-20 thread for Model BH-1-M Ball Heads and HD-28M Pan Heads

PH-10

Extra Snap-In Quick Release Plate with 1/4-20 thread for Model BH-2-M Ball Heads and HD-38M Pan Heads




SPFT-1 Steel Spike Feet Set

Optional screw-in spiked feet for additional stability



Tripod/Head Compatibility



PRODUCT DESCRIPTION	Series 0 Compatible Head	Series 1 Compatible Head	Series 2 Compatible Head	MonoPod Compatible Head
B Series Ball Head B Series Ball Head BH Series Ball Head HD Series 3-Way Head HD Series 3-Way Head	B0+PU50 BH0-M	B0+PU50 B1+PU50 BH1-M HD28-M	B1+PU50 BH2-M HD38-M	DJ80-M
Travel Angel Series Tripod Series 0 Series 1 Series 2	C-068M8	C-168M8	C-268M8	
QuickLock Series Tripod Series 1 Series 2		C-157EX A-157EX	C-257EX A-257EX	
FlexPod Series Tripod Series 1 Series 2		C-197EX A-197EX	C-297EX A-297EX	
QuickLock Series Monopods				MC-91EX MA-91EX

PROFESSIONAL STANDARDS : EXCEPTIONAL VALUE



BENRO

PROFESSIONAL STANDARDS : EXCEPTIONAL VALUE

BENRO products and accessories are distributed in the UK and Ireland by:

Kenro Ltd,

Greenbridge Road,
Swindon,
SN3 3LH.

t: 01793 615836

f: 01793 530108

e: sales@kenro.co.uk

Kenro (Ireland),

26/27 Upper Pembroke Street,
Dublin 2,
Ireland.

t: +353 (0) 1637 3963

f: +353 (0) 1662 0365

www.kenro.co.uk